

# **Models for Retrieval and Browsing**

- Classical IR Models

Berlin Chen 2005

References:

1. *Modern Information Retrieval*, Chapter 2
2. *Language Modeling for Information Retrieval*, Chapter 3

# Index Terms


- Meanings From Two Perspectives
  - In a *restricted* sense (keyword-based)
    - An index term is a (predefined) keyword (usually a noun) which has some semantic meaning of its own
  - In a *more general* sense (word-based)
    - An index term is simply any word which appears in the text of a document in the collection
    - Full-text

# Index Terms (cont.)

- The semantics (main themes) of the documents and of the user information need should be expressed through *sets of index terms*
  - Semantics is often lost when expressed through sets of words
  - Match between the documents and user queries is in the (imprecise?) space of index terms

# Index Terms (cont.)

- Documents retrieved are frequently irrelevant
  - Since most users have no training in query formation, problem is even worse
    - Not familiar with the underlying IR process
    - E.g: frequent dissatisfaction of Web users
  - Issue of deciding document relevance, i.e. ranking, is **critical** for IR systems



# Ranking Algorithms

- Also called the “information retrieval models”
- Ranking Algorithms
  - Predict which documents are relevant and which are not
  - Attempt to establish a simple ordering of the document retrieved
  - Documents at the top of the ordering are more likely to be relevant
  - The core of information retrieval systems

# Ranking Algorithms (cont.)

- A ranking is based on fundamental **premises** regarding the notion of relevance, such as:

- Common sets of index terms
  - Sharing of weighted terms
  - Likelihood of relevance
- } literal-term matching

$$P(Q|D) \text{ or } P(Q, D) ?$$

- Sharing of same aspects/concepts
- } Concept/semantic matching

- Distinct sets of **premises** lead to a distinct IR models

# Ranking Algorithms (cont.)

- Concept Matching vs. Literal Matching

## Spoken Query



*relevant ?*

## Transcript of Spoken Document

香港星島日報篇報導引述軍事觀察家的話表示，到二零零五年台灣將完全喪失空中優勢，原因是中國大陸戰機不論是數量或是性能上都將超越台灣，報導指出中國在大量引進俄羅斯先進武器的同時也得加快研發自製武器系統，目前西安飛機製造廠任職的改進型飛豹戰機即將部署尚未與蘇愷三十通道地對地攻擊住宅飛機，以督促遇到挫折的監控其戰機目前也已經取得了重大階段性的認知成果。根據日本媒體報導在台海戰爭隨時可能爆發情況之下北京方面的基本方針，使用高科技答應局部戰爭。因此，解放軍打算在二零零四年前又有包括蘇愷三十二期在內的兩百架蘇霍伊戰鬥機。



# Taxonomy of Classic IR Models


- References to the text content
  - Boolean Model (*Set Theoretic*)
    - Documents and queries are represented as sets of index terms
  - Vector (Space) Model (*Algebraic*)
    - Documents and queries are represented as vectors in a  $t$ -dimensional space
  - Probabilistic Model (*Probabilistic*)
    - Document and query are represented based on probability theory

*Alternative modeling paradigms will also be extensively studied !*

# Taxonomy of Classic IR Models (cont.)

- References to the text structure
  - Non-overlapping list
    - A document divided in *non-overlapping* text regions and represented as multiple lists for chapter, sections, subsection, etc.
  - Proximal Nodes
    - Define a strict hierarchical index over the text which composed of chapters, sections, subsections, paragraphs or lines

# Taxonomy of Classic IR Models (cont.)



# Taxonomy of Classic IR Models (cont.)

- Three-dimensional Representation

LOGICAL VIEW OF DOCUMENTS

	Index Terms	Full Text	Full Text + Structure
U S E R			
T A S K			
Retrieval	Classic Set Theoretic Algebraic Probabilistic	Classic Set Theoretic Algebraic Probabilistic	Structured
Browsing	Flat	Flat Hypertext	Structure Guided Hypertext

- The same IR models can be used with distinct document logical views

# Browsing the Text Content

- Flat/Structure Guided/Hypertext
- Example (Spoken Document Retrieval)

Figure 1. Elements of the automatic structural summarization produced by Rough'n'Ready.


The screenshot shows a Microsoft Internet Explorer window titled 'Rough'n'Ready - Microsoft Internet Explorer'. The address bar shows 'http://hoot/RVMainControl.htm'. The page content is a news article from 'World News Tonight 01/31/98'. The article text is summarized into five segments, each associated with a speaker's name in a colored box on the left. A sidebar on the right lists related topics. The browser interface includes a menu bar (File, Edit, View, Favorites, Tools), a toolbar with navigation icons, and a status bar at the bottom.

Speaker	Text Segment	Topic
female 1	It's a strategy to pressure on council making deals and it's known each day in Southern California latest danger from hell.	Foreign relations with the United States
male 2	From ABC news World headquarters in New York january thirty first nineteen ninety ... this is world news tonight saturday here's Elizabeth Vargas.	Inspections
Elizabeth Vargas	Good evening and defense secretary William Cohen said today that a military strike against a rock would be quote substantial in size and impact but Cohen stressed that the strike would not be able to remove Saddam Hussein from power or eliminate his deadly arsenal the defense secretary also had strong words today for the United Nations Security Council ABC's John Mcwethy reports.	United Nations
male 4	With more american firepower being considered for the Persian Gulf defense secretary Cohen today issued by are the administration's toughest criticism of the UN security council without mentioning Russia or China buying named Cohen took dead aim at their reluctance to get tough with Iraq.	Iraq
male 5	Frankly I find it ... incredibly hard to accept the proposition but in the face of Saddam's actions and that of members of the Security Council cannot bring themselves to to clear that this is a fundamental or material breach ... of old conduct on his part I think it challenges the credibility of Security Council.	Politics and government



# Browsing the Text Content (cont.)


- Example (Spoken Document Retrieval)






# Browsing the Text Content (cont.)

- Example (Spoken Document Retrieval)



# Retrieval: Ad Hoc

- Ad hoc retrieval
  - Documents remain relatively static while new queries are submitted the system
    - The statistics for the entire document collection is obtainable
  - The most common form of user task






# Retrieval: Filtering

- Filtering

- Queries remain relatively static while new documents come into the system (and leave)
  - User Profiles: describe the users' preferences
- E.g. news wiring services in the stock market



# Filtering & Routing

- **Filtering** task indicates to the user which document might be interested to him
  - Determine which ones are really relevant is fully reserved to the user
    - Documents with a ranking about a given threshold is selected
  - But no ranking information of filtered documents is presented to user
- **Routing**: a variation of filtering
  - Ranking information of the filtered documents is presented to the user
  - The user can examine the Top N documents
- The *vector model* is preferred

# Filtering: User Profile Construction

- Simplistic approach
  - Describe the profile through a set of keywords
  - The user provides the necessary keywords
  - User is not involved too much
  - Drawback: If user not familiar with the service (e.g. the vocabulary of upcoming documents)
- Elaborate approach
  - Collect information from user the about his preferences
  - Initial (primitive) profile description is adjusted by *relevance feedback* (from relevant/irrelevant information)
    - User intervention
  - Profile is continue changing

# A Formal Characterization of IR Models

- The quadruple  $\langle \mathbf{D}, \mathbf{Q}, F, R(q_i, d_j) \rangle$  definition
  - $\mathbf{D}$ : a set composed of logical views (or representations) for the documents in collection
  - $\mathbf{Q}$ : a set composed of logical views (or representations) for the user information needs, i.e., “queries”
  - $F$ : a framework for modeling documents representations, queries, and their relationships and operations
  - $R(q_i, d_j)$ : a ranking function which associates a real number with  $q_i \in \mathbf{Q}$  and  $d_j \in \mathbf{D}$

# A Formal Characterization of IR Models (cont.)

- Classic Boolean model
  - Set of documents
  - Standard operations on sets
- Classic vector model
  - $t$ -dimensional vector space
  - Standard linear algebra operations on vectors
- Classic probabilistic model
  - Sets (relevant/irrelevant document sets)
  - Standard probabilistic operations
    - Mainly the Bayes' theorem

# Classic IR Models - Basic Concepts

- Each document represented by a set of representative keywords or index terms
- An index term is a document word useful for remembering the document main themes
- Usually, index terms are nouns because nouns have meaning by themselves
  - Complements: adjectives, adverbs, and connectives
- However, search engines assume that all words are index terms (full text representation)

# Classic IR Models - Basic Concepts (cont.)

- Not all terms are equally useful for representing the document contents
  - *less frequent terms* allow identifying a narrower set of documents
- The importance of the index terms is represented by *weights* associated to them
  - Let
    - $k_i$  be an index term
    - $d_j$  be a document
    - $w_{ij}$  be a weight associated with  $(k_i, d_j)$
    - $\vec{d}_j = (w_{1,j}, w_{2,j}, \dots, w_{t,j})$ : an index term vector for the document  $d_j$
    - $g_i(\vec{d}_j) = w_{i,j}$
  - The weight  $w_{ij}$  quantifies the importance of the index term for describing the document semantic contents

# Classic IR Models - Basic Concepts (cont.)

- Correlation of index terms
  - E.g.: computer and network
  - Consideration of such correlation information does not consistently improve the final ranking result
    - Complex and slow operations
- Important Assumption/Simplification
  - Index term weights are mutually independent !



# The Boolean Model

- Simple model based on set theory and Boolean algebra
- A query specified as boolean expressions with **and**, **or**, **not** operations
  - Precise semantics, neat formalism and simplicity
  - Terms are either present or absent, i.e.,  $w_{ij} \in \{0, 1\}$
- A query can be expressed as a disjunctive normal form (DNF) composed of conjunctive components
  - $\vec{q}_{dnf}$ : the DNF for a query  $q$
  - $\vec{q}_{cc}$ : conjunctive components (binary weighted vectors) of  $\vec{q}_{dnf}$

# The Boolean Model (cont.)


- For instance, a query  $[q = k_a \wedge (k_b \vee \neg k_c)]$  can be written as a DNF

$$\vec{q}_{dnf} = (1, 1, 1) \vee (1, 1, 0) \vee (1, 0, 0)$$

conjunctive components  
(binary weighted vectors)

a canonical representation

$$\begin{aligned} & k_a \wedge (k_b \vee \neg k_c) \\ &= (k_a \wedge k_b) \vee (k_a \wedge \neg k_c) \\ &= (k_a \wedge k_b \wedge k_c) \vee (k_a \wedge k_b \wedge \neg k_c) \\ &\vee (k_a \wedge k_b \wedge \neg k_c) \vee (k_a \wedge \neg k_b \wedge \neg k_c) \\ &= (k_a \wedge k_b \wedge k_c) \vee (k_a \wedge k_b \wedge \neg k_c) \vee (k_a \wedge \neg k_b \wedge \neg k_c) \\ &\Rightarrow \vec{q}_{dnf} = (1, 1, 1) \vee (1, 1, 0) \vee (1, 0, 0) \end{aligned}$$



# The Boolean Model (cont.)

- The similarity of a document  $d_j$  to the query  $q$


$$\text{sim}(d_j, q) = \begin{cases} 1: & \text{if } \exists \vec{q}_{cc} \mid (\vec{q}_{cc} \in \vec{q}_{dnf} \wedge (\forall k_i, g_i(\vec{d}_j) = g_i(\vec{q}_{cc}))) \\ 0: & \text{otherwise} \end{cases}$$

A document is represented as  
a conjunctive normal form

- $\text{sim}(d_j, q) = 1$  means that the document  $d_j$  is relevant to the query  $q$
- Each document  $d_j$  can be represented as a conjunctive component

# Advantages of the Boolean Model

- Simple queries are easy to understand relatively easy to implement
- Dominant language in commercial (bibliographic) systems until the WWW



# Drawbacks of the Boolean Model

- Retrieval based on **binary decision criteria** with no notion of partial matching (**no term weighting**)
  - No notation of a partial match to the query condition
  - No ranking (ordering) of the documents is provided (absence of a grading scale)
  - Term frequency counts in documents not considered
  - Much more like **a data retrieval model**

# Drawbacks of the Boolean Model (cont.)

- Information need has to be translated into a Boolean expression which most users find awkward
  - The Boolean queries formulated by the users are most often too simplistic (difficult to specify what is wanted)
- As a consequence, the Boolean model frequently returns either *too few or too many documents* in response to a user query

# The Vector Model

SMART system  
Cornell U., 1968

- Also called *Vector Space Model (VSM)*
- Some perspectives
  - Use of *binary weights* is too limiting
  - *Non-binary weights* provide consideration for partial matches
  - These term weights are used to compute a *degree of similarity* between a query and each document
  - Ranked set of documents provides better matching for user information need

# The Vector Model (cont.)


- Definition:
  - $w_{ij} \geq 0$  whenever  $k_i \in d_j$
  - $w_{iq} \geq 0$  whenever  $k_i \in q$
  - document vector  $\vec{d}_j = (w_{1j}, w_{2j}, \dots, w_{tj})$
  - query vector  $\vec{q} = (w_{1q}, w_{2q}, \dots, w_{tq})$
  - To each term  $k_i$  is associated a unitary (basis) vector  $\vec{u}_i$
  - The unitary vectors  $\vec{u}_i$  and  $\vec{u}_s$  are assumed to be **orthonormal** (i.e., index terms are assumed to occur independently within the documents)
- The  $t$  unitary vectors  $\vec{u}_i$  form an orthonormal basis for a  $t$ -dimensional space
  - Queries and documents are represented as weighted vectors

totally  $t$  terms in  
the vocabulary



# The Vector Model (cont.)

- How to measure the degree of similarity
  - Distance, angle or projection?



# The Vector Model (cont.)

- The similarity of a document  $d_j$  to the query  $q$


$$\begin{aligned}
 & \text{sim}(d_j, q) \\
 &= \text{cosine}(\Theta) \\
 &= \frac{\vec{d}_j \cdot \vec{q}}{|\vec{d}_j| \times |\vec{q}|} \\
 &= \frac{\sum_{i=1}^t w_{i,j} \times w_{i,q}}{\sqrt{\sum_{i=1}^t w_{i,j}^2} \times \sqrt{\sum_{i=1}^t w_{i,q}^2}}
 \end{aligned}$$

Document length normalization

The same for documents, can be discarded



Won't affect the final ranking



(if discarded, equivalent to the projection of the query on the document vector)


- Establish a threshold on  $\text{sim}(d_j, q)$  and retrieve documents with a **degree of similarity** above the threshold

# The Vector Model (cont.)

- Degree of similarity  $\Rightarrow$  Relevance
  - Usually,  $w_{ij} \geq 0$  &  $w_{iq} \geq 0$ 
    - Cosine measure ranges between 0 and 1
  - $\text{sim}(d_j, q) \approx 1 \Rightarrow$  highly relevant !
  - $\text{sim}(d_j, q) \approx 0 \Rightarrow$  almost irrelevant !

# The Vector Model (cont.)

- The role of index terms



- Which index terms (features) better describe the relevant class

- Intra-cluster similarity (*tf*-factor)

- Inter-cluster dissimilarity (*idf*-factor)

} balance between these  
two factors

# The Vector Model (cont.)

- How to compute the weights  $w_{ij}$  and  $w_{iq}$  ?
- A good weight must take into account two effects:
  - Quantification of **intra-document** contents (similarity)
    - *tf* factor, the **term frequency** within a document
    - High term frequency is needed
  - Quantification of **inter-documents** separation (dissimilarity)
    - Low **document frequency** is preferred
    - *idf* (*IDF*) factor, the **inverse document frequency**
  - $w_{i,j} = tf_{i,j} * idf_j$

# The Vector Model (cont.)

- Let,
  - $N$  be the total number of docs in the collection
  - $n_i$  be the number of docs which contain  $k_i$
  - $freq_{i,j}$  raw frequency of  $k_i$  within  $d_j$
- A normalized *tf* factor is given by

$$tf_{i,j} = \frac{freq_{i,j}}{\max_l freq_{l,j}}$$

- Where the maximum is computed over all terms which occur within the document  $d_j$
- $tf_{i,j}$  will be in the range of 0 to 1

# The Vector Model (cont.)

- The *idf* factor is computed as

Sparck Jones

$$idf_i = \log \frac{N}{n_i}$$

Document frequency  
of term  $k_i = \frac{n_i}{N}$

- the *log* is used to make the values of *tf* and *idf* comparable. It can also be interpreted as the amount of information associated with the term  $k_i$
- The best term-weighting schemes use weights which are give by

$$w_{i,j} = tf_{i,j} \times \log \frac{N}{n_i}$$

- the strategy is called a *tf-idf* weighting scheme

# The Vector Model (cont.)

- For the query term weights, a suggestion is

Salton & Buckley

$$w_{i,q} = \left(0.5 + \frac{0.5 \text{freq}_{i,q}}{\max_l \text{freq}_{i,q}}\right) \times \log \frac{N}{n_i}$$

- The vector model with *tf-idf* weights is a good ranking strategy with *general* collections
- The vector model is usually as good as the known ranking alternatives. It is also simple and fast to compute



# The Vector Model (cont.)

- Advantages
  - Term-weighting improves quality of the answer set
  - Partial matching allows retrieval of docs that approximate the query conditions
  - Cosine ranking formula sorts documents according to degree of similarity to the query
- Disadvantages
  - Assumes mutual independence of index terms
    - Not clear that this is bad though (??)

# The Vector Model (cont.)

- Another *tf-idf* term weighting scheme
  - For query  $q$

$$w_{i,q} = \underbrace{(1 + \log(\text{freq}_{i,q}))}_{\text{Term Frequency}} \cdot \underbrace{\log((N + 1) / n_i)}_{\text{Inverse Document Frequency}}$$

Term  
Frequency


Inverse  
Document  
Frequency

- For document  $d_j$

$$w_{i,j} = (1 + \log(\text{freq}_{i,j}))$$

# The Vector Model (cont.)

- Example



	$k_1$	$k_2$	$k_3$	$q \bullet d_j$	$q \bullet d_j /  d_j $
$d_1$	1	0	1	<b>2</b>	$2/\sqrt{2}$
$d_2$	1	0	0	<b>1</b>	$1/\sqrt{1}$
$d_3$	0	1	1	<b>2</b>	$2/\sqrt{2}$
$d_4$	1	0	0	<b>1</b>	$1/\sqrt{1}$
$d_5$	1	1	1	<b>3</b>	$3/\sqrt{3}$
$d_6$	1	1	0	<b>2</b>	$2/\sqrt{2}$
$d_7$	0	1	0	<b>1</b>	$1/\sqrt{1}$
$q$	1	1	1		

# The Vector Model (cont.)

- Experimental Results on TDT Chinese collections
  - Mandarin Chinese broadcast news
  - Measured in *mean* Average Precision (*mAP*)
  - ACM TALIP (2004)

Retrieval Results for the Vector Space Model

Average Precision		Word-level		Syllable-level	
		$S(N), N=1$	$S(N), N=1\sim 2$	$S(N), N=1$	$S(N), N=1\sim 2$
TDT-2 (Dev.)	TD	0.5548	0.5623	0.3412	0.5254
	SD	0.5122	0.5225	0.3306	0.5077
TDT-3 (Eval.)	TD	0.6505	0.6531	0.3963	0.6502
	SD	0.6216	0.6233	0.3708	0.6353

$$R(q, d) = \sum_j w_j \cdot R_j(\vec{q}_j, \vec{d}_j),$$

$j$  ← types of index terms


# The Probabilistic Model

Roberston & Sparck Jones 1976

- Known as the **Binary Independence Retrieval (BIR)** model
  - “**Binary**”: all weights of index terms are binary (0 or 1)
  - “**Independence**”: index terms are independent !
- Capture the IR problem using a **probabilistic** framework
  - Bayes' decision rule

# The Probabilistic Model (cont.)

- Retrieval is modeled as a classification process
  - Two classes for each query: the relevant or non-relevant documents




# The Probabilistic Model (cont.)

- Given a user query, there is an **ideal answer set**
  - The querying process as a specification of the properties of this ideal answer set
- Problem: what are these properties?
  - Only the **semantics of index terms** can be used to characterize these properties
- **Guess at the beginning** what they could be
  - I.e., an initial guess for the primary probabilistic description of ideal answer set
- **Improve/Refine the probabilistic description of the answer set by iterations/iterations**
  - Without or with any assistance from a human subject

# The Probabilistic Model (cont.)

- How to improve the probabilistic description of the ideal answer set ?



Document Collection



# The Probabilistic Model (cont.)

- Given a particular document  $d_j$ , calculate the probability of belonging to the relevant class, retrieve if greater than probability of belonging to non-relevant class

$$P(R | \vec{d}_j) > P(\bar{R} | \vec{d}_j)$$

Bayes' Decision Rule

- The similarity of a document  $d_j$  to the query  $q$

$$sim(d_j, q) = \frac{P(R | \vec{d}_j)}{P(\bar{R} | \vec{d}_j)}$$

Likelihood/Odds Ratio Test

The same for all documents

Bayes' Theory

$$= \frac{P(\vec{d}_j | R)P(R)}{P(\vec{d}_j | \bar{R})P(\bar{R})} \approx \frac{P(\vec{d}_j | R)}{P(\vec{d}_j | \bar{R})}$$

$\geq \tau$  ?


if so, retrieved !

# The Probabilistic Model (cont.)

- Explanation

- $P(R)$  : the prob. that a doc randomly selected from the entire collection is relevant
- $P(\vec{d}_j | R)$  : the prob. that the doc  $d_j$  is relevant to the query  $q$  (selected from the relevant doc set  $R$ )

- Further assume independence of index terms



$$\text{sim}(d_j, q) \approx \frac{P(\vec{d}_j | R)}{P(\vec{d}_j | \bar{R})}$$

$P(k_i | R)$  : prob. that  $k_i$  is present in a doc randomly selected from the set  $R$   
 $P(\bar{k}_i | R)$  : prob. that  $k_i$  is not present in a doc randomly selected from the set  $R$   
 $P(k_i | R) + P(\bar{k}_i | R) = 1$

$$\approx \frac{\left[ \prod_{g_i(\vec{d}_j)=1} P(k_i | R) \right] \left[ \prod_{g_i(\vec{d}_j)=0} P(\bar{k}_i | R) \right]}{\left[ \prod_{g_i(\vec{d}_j)=1} P(k_i | \bar{R}) \right] \left[ \prod_{g_i(\vec{d}_j)=0} P(\bar{k}_i | \bar{R}) \right]}$$

# The Probabilistic Model (cont.)

- Further assume independence of index terms
  - Another representation

$$\text{sim}(d_j, q) \approx \frac{\prod_{i=1}^t \left[ P(k_i | R)^{g_i(\vec{d}_j)} P(\bar{k}_i | R)^{1-g_i(\vec{d}_j)} \right]}{\prod_{i=1}^t \left[ P(k_i | \bar{R})^{g_i(\vec{d}_j)} P(\bar{k}_i | \bar{R})^{1-g_i(\vec{d}_j)} \right]}$$

- Take logarithms

$$\text{sim}(d_j, q) \approx \log \frac{\prod_{i=1}^t \left[ P(k_i | R)^{g_i(\vec{d}_j)} P(\bar{k}_i | R)^{1-g_i(\vec{d}_j)} \right]}{\prod_{i=1}^t \left[ P(k_i | \bar{R})^{g_i(\vec{d}_j)} \left( P(\bar{k}_i | \bar{R}) \right)^{1-g_i(\vec{d}_j)} \right]}$$


The same for all documents!

$$\begin{cases} P(k_i | R) + P(\bar{k}_i | R) = 1 \\ P(k_i | \bar{R}) + P(\bar{k}_i | \bar{R}) = 1 \end{cases}$$

$$\begin{aligned} &= \sum_{i=1}^t g_i(\vec{d}_j) \log \frac{P(k_i | R) P(\bar{k}_i | \bar{R})}{P(k_i | \bar{R}) P(\bar{k}_i | R)} + \sum_{i=1}^t \log \frac{P(\bar{k}_i | R)}{P(\bar{k}_i | \bar{R})} \\ &= \sum_{i=1}^t g_i(\vec{d}_j) \left[ \log \frac{P(k_i | R)}{1 - P(k_i | R)} + \log \frac{1 - P(k_i | \bar{R})}{P(k_i | \bar{R})} \right] \end{aligned}$$

# The Probabilistic Model (cont.)

- Further assume independence of index terms
  - Use term weighting  $w_{i,q} \times w_{i,j}$  to replace  $g_i(\vec{d}_j)$

$$\begin{aligned} \text{sim}(d_j, q) &\approx \sum_{i=1}^t g_i(\vec{d}_j) \left[ \log \frac{P(k_i | R)}{1 - P(k_i | R)} + \log \frac{1 - P(k_i | \bar{R})}{P(k_i | \bar{R})} \right] \\ &\approx \sum_{i=1}^t w_{i,q} \times w_{i,j} \times \left[ \log \frac{P(k_i | R)}{1 - P(k_i | R)} + \log \frac{1 - P(k_i | \bar{R})}{P(k_i | \bar{R})} \right] \end{aligned}$$


Binary weights (0 or 1) are used here

$R$  is not known at the beginning

⇒ How to compute  $P(k_i | R)$  and  $P(k_i | \bar{R})$

# The Probabilistic Model (cont.)

- Initial Assumptions

- $P(k_i | R) = 0.5$  :is constant for all indexing terms

- $P(k_i | \bar{R}) = \frac{n_i}{N}$  :approx. by distribution of index terms among all doc in the collection, i.e. the document frequency of indexing term  $k_i$  (Suppose that  $|\bar{R}| \gg |R|$ ,  $N \approx |\bar{R}|$ )

- (  $n_i$  : no. of doc that contain  $k_i$ .  $N$  : the total doc no.)

- Re-estimate the probability distributions

- Use the initially retrieved and ranked Top  $V$  documents

$$P(k_i | R) = \frac{V_i}{V}$$

$$P(k_i | \bar{R}) = \frac{n_i - V_i}{N - V}$$

$V_i$  : the no. of documents in  $V$  that contain  $k_i$

# The Probabilistic Model (cont.)

- Handle the problem of “zero” probabilities
  - Add constants as the adjust constant

$$P(k_i | R) = \frac{V_i + 0.5}{V + 1}$$

$$P(k_i | \bar{R}) = \frac{n_i - V_i + 0.5}{N - V + 1}$$

- Or use the information of document frequency

$$P(k_i | R) = \frac{V_i + \frac{n_i}{N}}{V + 1}$$

$$P(k_i | \bar{R}) = \frac{n_i - V_i + \frac{n_i}{N}}{N - V + 1}$$

# The Probabilistic Model (cont.)

- Advantages
  - Documents are ranked in decreasing order of probability of relevance
- Disadvantages
  - Need to guess initial estimates for  $P(k_i | R)$
  - How to estimate the characteristics of the relevant class/set  $R$  without any training data, in the form of user-identified examples of relevant docs
  - All weights are binary: the method does not take into account *tf* and *idf* factors
  - Independence assumption of index terms

# Brief Comparisons of Classic Models

- Boolean model does not provide for partial matches and is considered to be the weakest classic model
- Salton and Buckley did a series of experiments that indicated that, in general, the vector model outperforms the probabilistic model with general collections